

< Back to results | 1 of 1

Export Download Print E-mail Save to PDF Add to List More... >

Full Text View at Publisher

International Journal of Pharmaceutics
Volume 542, Issue 1-2, 5 May 2018, Pages 36-46

Transdermal delivery of raloxifene HCl via ethosomal system :
Formulation, advanced characterizations and pharmacokinetic
evaluation (Article)

Mahmood, S.^{abd}, Mandal, U.K.^{cd}, Chatterjee, B.^d

^aDepartment of Pharmaceutical Engineering, Faculty of Engineering Technology, University Malaysia Pahang, Gambang, Malaysia
^bCentre of Excellence for Advanced Research in Fluid Flow (CARIFF), University Malaysia Pahang, Gambang, Malaysia
^cDepartment of Pharmaceutical Sciences & Technology, Maharaja Ranjit Singh Punjab Technical University (MRSPTU), Bathinda, India

View additional affiliations

Abstract

View references (57)

Raloxifene HCl belongs to a class of selective estrogen receptor modulators (SERMs) which is used for the management of breast cancer. The major problem reported with raloxifene is its poor bioavailability which is only up to 2%. The main objective of the present work was to formulate raloxifene loaded ethosomal preparation for transdermal application and compare it with an oral formulation of the drug. Five ethosomal formulations with different concentrations of ethanol and a conventional liposomes formulation were prepared by rotary evaporation method. The prepared systems were characterised by high resolution transmission electron microscopy (HRTEM), force emission electron microscopy (FESEM), atomic force microscopy (AFM), X-ray diffraction (XRD) and ³¹P NMR study. All these advanced characterization study established that the ethosome formulation was well defined by its size, shape and its bilayer formation. Transdermal flux of the optimized ethosome formulation was 22.14 ± 0.83 µg/ml/cm² which was 21 times higher when compared to the conventional liposomes. Confocal microscopy study revealed an enhanced permeation of coumarin-6 dye loaded ethosomes to much deeper layers of skin when compared with conventional liposomes. The gel was found to be pseudoplastic with elastic behaviour. In-vivo studies on rats showed a higher bioavailability of RXL (157% times) for ethosomal formulation when compared with the oral formulation. In conclusion, RXL loaded ethosomal formulation via transdermal route showed superior drug delivery properties as compared to oral formulation. © 2018 Elsevier B.V.

Reaxys Database Information

View Compounds

Author keywords

AFM Bioavailability Ethosomes HRTEM Pharmacokinetic Raloxifene HCl

ISSN: 03785173
CODEN: IJPHD
Source Type: Journal
Original language: English

DOI: 10.1016/j.ijpharm.2018.02.044
Document Type: Article
Publisher: Elsevier B.V.

References (57)

View in search results format >

All Export Print E-mail Save to PDF Create bibliography

Metrics ?

0 Citations in Scopus
0 Field-Weighted
Citation Impact

PlumX Metrics
Usage, Captures, Mentions,
Social Media and Citations
beyond Scopus.

Cited by 0 documents

Inform me when this document
is cited in Scopus:
Set citation alert >
Set citation feed >

Related documents

Enhanced transdermal delivery of
an anti-HIV agent via ethanolic
liposomes
Dubey, V. , Mishra, D. , Nahar, M.
(2010) *Nanomedicine:
Nanotechnology, Biology, and
Medicine*
Breast cancer prevention in high
risk: Preventive effects of
estrogen receptor modulators |
Brustkrebsprävention bei hohem
Risiko: Präventive effekte von
Östrogenrezeptormodulatoren
Meyer, R.
(2013) *Deutsches Arzteblatt
International*

Study on the preparation and in
vitro transdermal characteristics
of ketoconazole ethosome gel
Wu, Y. , Wang, M. , Wang, L.
(2017) *Pharmaceutical Care and
Research*

View all related documents based
on references

- ☐ 1 Abdel Messih, H.A., Ishak, R.A.H., Geneidi, A.S., Mansour, S.
Nanoethosomes for transdermal delivery of tropisetron HCl: multi-factorial predictive modeling, characterization, and ex vivo skin permeation
(2017) *Drug Development and Industrial Pharmacy*, 43 (6), pp. 958-971. Cited 2 times.
<http://www.tandfonline.com/loi/iddi20#.Vmuk8Lfovcs>
doi: 10.1080/03639045.2017.1287717
[View at Publisher](#)
-
- ☐ 2 Aboud, H.M., Ali, A.A., El-Menshaw, S.F., Elbary, A.A.
Nanotransfersomes of carvedilol for intranasal delivery: formulation, characterization and in vivo evaluation
(2016) *Drug Delivery*, 23 (7), pp. 2471-2481. Cited 5 times.
doi: 10.3109/10717544.2015.1013587
[View at Publisher](#)
-
- ☐ 3 Agrawal, A.K., Harde, H., Thanki, K., Jain, S.
Improved stability and antidiabetic potential of insulin containing folic acid functionalized polymer stabilized multilayered liposomes following oral administration
(2014) *Biomacromolecules*, 15 (1), pp. 350-360. Cited 59 times.
doi: 10.1021/bm401580k
[View at Publisher](#)
-
- ☐ 4 Ahmed, S., Sarim Imam, S., Zafar, A., Ali, A., Aqil, M., Gull, A.
In vitro and preclinical assessment of factorial design based nanoethosomes transgel formulation of an opioid analgesic
(2016) *Artificial Cells, Nanomedicine and Biotechnology*, 44 (8), pp. 1793-1802. Cited 3 times.
<http://www.tandfonline.com/loi/ianb20#.VmugQbfovcs>
doi: 10.3109/21691401.2015.1102742
[View at Publisher](#)
-
- ☐ 5 Al-mahallawi, A.M., Khowessah, O.M., Shoukri, R.A.
Enhanced non invasive trans-tympanic delivery of ciprofloxacin through encapsulation into nano-spanlastic vesicles: Fabrication, in-vitro characterization, and comparative ex-vivo permeation studies
(2017) *International Journal of Pharmaceutics*, 522 (1-2), pp. 157-164. Cited 4 times.
www.elsevier.com/locate/ijpharm
doi: 10.1016/j.ijpharm.2017.03.005
[View at Publisher](#)
-
- ☐ 6 Bergelson, L.
Paramagnetic hydrophilic probes in NMR investigations of membrane systems
(1978) *Meth. Membr. Biol.*, 9, pp. 275-335. Cited 52 times.
-
- ☐ 7 Bhosale, S.S., Avachat, A.M.
Design and development of ethosomal transdermal drug delivery system of valsartan with preclinical assessment in Wistar albino rats
(2013) *Journal of Liposome Research*, 23 (2), pp. 119-125. Cited 11 times.
doi: 10.3109/08982104.2012.753457
[View at Publisher](#)

Find more related documents in
Scopus based on:

[Authors >](#) [Keywords >](#)

- 8 Bisht, D., Verma, D., Mirza, M.A., Anwer, M.K., Iqbal, Z.
Development of ethosomal gel of ranolazine for improved topical delivery: In vitro and ex vivo evaluation
(2017) *Journal of Molecular Liquids*, 225, pp. 475-481. Cited 4 times.
doi: 10.1016/j.molliq.2016.11.114
[View at Publisher](#)
-
- 9 Cevc, G.
Lipid vesicles and other colloids as drug carriers on the skin
(2004) *Advanced Drug Delivery Reviews*, 56 (5), pp. 675-711. Cited 426 times.
doi: 10.1016/j.addr.2003.10.028
[View at Publisher](#)
-
- 10 Cevc, G., Blume, G.
Lipid vesicles penetrate into intact skin owing to the transdermal osmotic gradients and hydration force
(1992) *BBA - Biomembranes*, 1104 (1), pp. 226-232. Cited 478 times.
doi: 10.1016/0005-2736(92)90154-E
[View at Publisher](#)
-
- 11 Chen, Z.X., Li, B., Liu, T., Wang, X., Zhu, Y., Wang, L., Wang, X.H., (...), Sun, Q.
Evaluation of paeonol-loaded transethosomes as transdermal delivery carriers
(2017) *European Journal of Pharmaceutical Sciences*, 99, pp. 240-245. Cited 3 times.
www.elsevier.com/locate/ejps
doi: 10.1016/j.ejps.2016.12.026
[View at Publisher](#)
-
- 12 Cullis, P.R., De Kruijff, B.
Lipid polymorphism and the functional roles of lipids in biological membranes
(1979) *BBA - Reviews on Biomembranes*, 559 (4), pp. 399-420. Cited 1363 times.
doi: 10.1016/0304-4157(79)90012-1
[View at Publisher](#)
-
- 13 Cuzick, J., Sestak, I., Bonanni, B., Costantino, J.P., Cummings, S., DeCensi, A., Dowsett, M., (...), Wickerham, D.L.
Selective oestrogen receptor modulators in prevention of breast cancer: An updated meta-analysis of individual participant data
(2013) *The Lancet*, 381 (9880), pp. 1827-1834. Cited 175 times.
<http://www.journals.elsevier.com/the-lancet/>
doi: 10.1016/S0140-6736(13)60140-3
[View at Publisher](#)
-
- 14 De Kruijff, B., Cullis, P.R., Radda, G.K.
Outside-inside distributions and sizes of mixed phosphatidylcholine-cholesterol vesicles
(1976) *BBA - Biomembranes*, 436 (4), pp. 729-740. Cited 106 times.
doi: 10.1016/0005-2736(76)90402-8
[View at Publisher](#)
-

- 15 Dubey, V., Mishra, D., Dutta, T., Nahar, M., Saraf, D.K., Jain, N.K.
Dermal and transdermal delivery of an anti-psoriatic agent via ethanolic liposomes
(2007) *Journal of Controlled Release*, 123 (2), pp. 148-154. Cited 173 times.
doi: 10.1016/j.jconrel.2007.08.005
[View at Publisher](#)
-
- 16 Dudhipala, N., Veerabrahma, K.
Candesartan cilexetil loaded solid lipid nanoparticles for oral delivery: Characterization, pharmacokinetic and pharmacodynamic evaluation
(2016) *Drug Delivery*, 23 (2), pp. 395-404. Cited 13 times.
doi: 10.3109/10717544.2014.914986
[View at Publisher](#)
-
- 17 Dufourc, E.J., Mayer, C., Stohrer, J., Althoff, G., Kothe, G.
Dynamics of phosphate head groups in biomembranes. Comprehensive analysis using phosphorus-31 nuclear magnetic resonance lineshape and relaxation time measurements ([Open Access](#))
(1992) *Biophysical Journal*, 61 (1), pp. 42-57. Cited 146 times.
doi: 10.1016/S0006-3495(92)81814-3
[View at Publisher](#)
-
- 18 El Zaafarany, G.M., Awad, G.A.S., Holayel, S.M., Mortada, N.D.
Role of edge activators and surface charge in developing ultradeformable vesicles with enhanced skin delivery
(2010) *International Journal of Pharmaceutics*, 397 (1-2), pp. 164-172. Cited 123 times.
doi: 10.1016/j.ijpharm.2010.06.034
[View at Publisher](#)
-
- 19 Ettinger, B., Black, D.M., Mitlak, B.H., Knickerbocker, R.K., Nickelsen, T., Genant, H.K., Christiansen, C., (...), Cummings, S.R.
Reduction of vertebral fracture risk in postmenopausal women with osteoporosis treated with raloxifene: Results from a 3-year randomized clinical trial
(1999) *Journal of the American Medical Association*, 282 (7), pp. 637-645. Cited 2686 times.
doi: 10.1001/jama.282.7.637
[View at Publisher](#)
-
- 20 Fagir, W., Hathout, R.M., Sammour, O.A., Elshafeey, A.H.
Self-microemulsifying systems of Finasteride with enhanced oral bioavailability: Multivariate statistical evaluation, characterization, spray-drying and in vivo studies in human volunteers
(2015) *Nanomedicine*, 10 (22), pp. 3373-3389. Cited 10 times.
<http://www.futuremedicine.com/loi/nnm>
doi: 10.2217/nnm.15.123
[View at Publisher](#)
-
- 21 Fang, Y.-P., Tsai, Y.-H., Wu, P.-C., Huang, Y.-B.
Comparison of 5-aminolevulinic acid-encapsulated liposome versus ethosome for skin delivery for photodynamic therapy
(2008) *International Journal of Pharmaceutics*, 356 (1-2), pp. 144-152. Cited 98 times.
doi: 10.1016/j.ijpharm.2008.01.020
[View at Publisher](#)
-

- 22 Fenske, D.B.
Structural and motional properties of vesicles as revealed by nuclear magnetic resonance

(1993) *Chemistry and Physics of Lipids*, 64 (1-3), pp. 143-162. Cited 31 times.
doi: 10.1016/0009-3084(93)90063-9

[View at Publisher](#)

- 23 Gargallo, L., Radic, D.
Physicochemical Behavior and Supramolecular Organization of Polymers
(2009) . Cited 2 times.
Springer Science & Business Media

- 24 Huang, M., Sun, C.C., Westin, S.N., Bodurka, D.C.
Hormone replacement therapy (HRT) prescribing patterns among gynecologic oncologists
(2013) *J. Clin. Oncol.*

- 25 Jain, S., Patel, N., Madan, P., Lin, S.
Quality by design approach for formulation, evaluation and statistical optimization of diclofenac-loaded ethosomes via transdermal route

(2015) *Pharmaceutical Development and Technology*, 20 (4), pp. 473-489. Cited 14 times.
doi: 10.3109/10837450.2014.882939

[View at Publisher](#)

- 26 Kadir, R., Stempler, D., Liron, Z., Cohen, S.
Delivery of theophylline into excised human skin from alkanolic acid solutions: A “push-pull” mechanism

(1987) *Journal of Pharmaceutical Sciences*, 76 (10), pp. 774-779. Cited 68 times.
doi: 10.1002/jps.2600761004

[View at Publisher](#)

- 27 Kanis, J.A., McCloskey, E.V., Johansson, H., Cooper, C., Rizzoli, R., Reginster, J.-Y.
European guidance for the diagnosis and management of osteoporosis in postmenopausal women

(2013) *Osteoporosis International*, 24 (1), pp. 23-57. Cited 569 times.
doi: 10.1007/s00198-012-2074-y

[View at Publisher](#)

- 28 Khan, N.R., Wong, T.W.
Microwave-aided skin drug penetration and retention of 5-fluorouracil-loaded ethosomes

(2016) *Expert Opinion on Drug Delivery*, 13 (9), pp. 1209-1219. Cited 6 times.
doi: 10.1080/17425247.2016.1193152

[View at Publisher](#)

- 29 Komatsu, H., Okada, S.
Ethanol-enhanced permeation of phosphatidylcholine/phosphatidylethanolamine mixed liposomal membranes due to ethanol-induced lateral phase separation
([Open Access](#))

(1996) *Biochimica et Biophysica Acta - Biomembranes*, 1283 (1), pp. 73-79. Cited 25 times.
www.elsevier.com/locate/bbamem
doi: 10.1016/0005-2736(96)00082-X

[View at Publisher](#)

- ☐ 30 Krill, S.L., Knutson, K., Higuchi, W.I.
Ethanol effects on the stratum corneum lipid phase behavior

(1992) *BBA - Biomembranes*, 1112 (2), pp. 273-280. Cited 39 times.
doi: 10.1016/0005-2736(92)90402-8

[View at Publisher](#)

- ☐ 31 Leenstra, W.R., Amicangelo, J.C.
Synthesis, Characterization, and Interlayer Distance Study of Zirconium Phosphonates with Stoichiometric Variation of Methyl and p-Aminobenzyl Pendant Groups

(1998) *Inorganic Chemistry*, 37 (20), pp. 5317-5323. Cited 16 times.

[View at Publisher](#)

- ☐ 32 Lim, L.M., Tran, T.-T., Cheow, W.S., Hadinoto, K.
Re-evaluating the presumed superiority of amorphous nanoparticles over amorphous microscale solid dispersion in solubility enhancement of poorly soluble drugs

(2017) *European Journal of Pharmaceutical Sciences*, 109, pp. 455-463.
www.elsevier.com/locate/ejps
doi: 10.1016/j.ejps.2017.09.010

[View at Publisher](#)

- ☐ 33 Maestrelli, F., Capasso, G., González-Rodríguez, M.L., Rabasco, A.M., Ghelardini, C., Mura, P.
Effect of preparation technique on the properties and in vivo efficacy of benzocaine-loaded ethosomes

(2009) *Journal of Liposome Research*, 19 (4), pp. 253-260. Cited 41 times.
doi: 10.3109/08982100902788408

[View at Publisher](#)

- ☐ 34 Magnusson, B.M., Runn, P., Karlsson, K., Koskinen, L.-O.D.
Terpenes and ethanol enhance the transdermal permeation of the tripeptide thyrotropin releasing hormone in human epidermis

(1997) *International Journal of Pharmaceutics*, 157 (1), pp. 113-121. Cited 36 times.
doi: 10.1016/S0378-5173(97)00235-4

[View at Publisher](#)

- ☐ 35 Mezei, M., Gulasekharan, V.
Liposomes - a selective drug delivery system for the topical route of administration I. Lotion dosage form

(1980) *Life Sciences*, 26 (18), pp. 1473-1477. Cited 353 times.
doi: 10.1016/0024-3205(80)90268-4

[View at Publisher](#)

- ☐ 36 Mittal, A., Sara, U.V.S., Ali, A., Aqil, M.
The effect of penetration enhancers on permeation kinetics of nitrendipine in two different skin models

(2008) *Biological and Pharmaceutical Bulletin*, 31 (9), pp. 1766-1772. Cited 26 times.
http://www.jstage.jst.go.jp/article/bpb/31/9/1766/_pdf
doi: 10.1248/bpb.31.1766

[View at Publisher](#)

- 37 Mahmood, S., Mandal, U.K.
Morphological characterization of lipid structured nanoparticles by atomic force microscopy while minimizing the formation of failed artefacts
(2017) *Curr. Nanomater.*, 2, pp. 1-9.

- 38 Mohammed, M.I., Makky, A.M.A., Teaima, M.H.M., Abdellatif, M.M., Hamzawy, M.A., Khalil, M.A.F.
Transdermal delivery of vancomycin hydrochloride using combination of nano-ethosomes and iontophoresis: in vitro and in vivo study

(2016) *Drug Delivery*, 23 (5), pp. 1558-1564. Cited 3 times.
doi: 10.3109/10717544.2015.1013200

[View at Publisher](#)

- 39 Mahmood, S., Sengupta, P., Mandal, U.K., Chatterjee, B., Taher, M.
Development, validation and pharmacokinetic application of a simple and robust RP-HPLC method for quantitation of raloxifene in rat plasma

(2017) *Latin American Journal of Pharmacy*, 36 (9), pp. 1901-1907.
http://www.latamjpharm.org/trabajos/36/9/LAJOP_36_9_1_35_P60R7TDS9K.pdf

- 40 Morsi, N.M., Aboelwafa, A.A., Dawoud, M.H.S.
Enhancement of the bioavailability of an antihypertensive drug by transdermal protransfersomal system: formulation and in vivo study

(2017) *Journal of Liposome Research*, pp. 1-12.
doi: 10.1080/08982104.2017.1295989

[View at Publisher](#)

- 41 Nekkanti, V., Venkateshwarlu, V., Pillai, R.
Preparation, characterization and in-vivo evaluation of raloxifene hydrochloride solid lipid nanoparticles
(2013) *Pharm. Nanotechnol.*, 1, pp. 68-77. Cited 2 times.

- 42 Palacios, S., Silverman, S.L., De Villiers, T.J., Levine, A.B., Goemaere, S., Brown, J.P., De Cicco Nardone, F., (...), Chines, A.A.
A 7-year randomized, placebo-controlled trial assessing the long-term efficacy and safety of bazedoxifene in postmenopausal women with osteoporosis: Effects on bone density and fracture

(2015) *Menopause*, 22 (8), pp. 806-813. Cited 26 times.
<http://journals.lww.com/menopausejournal>
doi: 10.1097/GME.0000000000000419

[View at Publisher](#)

- 43 Paolino, D., Lucania, G., Mardente, D., Alhaique, F., Fresta, M.
Ethosomes for skin delivery of ammonium glycyrrhizinate: In vitro percutaneous permeation through human skin and in vivo anti-inflammatory activity on human volunteers

(2005) *Journal of Controlled Release*, 106 (1-2), pp. 99-110. Cited 174 times.
doi: 10.1016/j.jconrel.2005.04.007

[View at Publisher](#)

- 44 Ravi, P.R., Aditya, N., Kathuria, H., Malekar, S., Vats, R.

Lipid nanoparticles for oral delivery of raloxifene: Optimization, stability, in vivo evaluation and uptake mechanism

(2014) *European Journal of Pharmaceutics and Biopharmaceutics*, 87 (1), pp. 114-124. Cited 33 times.
www.elsevier.com/locate/ejphabio
doi: 10.1016/j.ejpb.2013.12.015

[View at Publisher](#)

- 45 Saini, D., Baboota, S., Ali, M., Patel, H., Jain, P., Neerumulla, S., Ali, J.

Development and validation of a stability-indicating reversed phase ultra performance liquid chromatographic method for the quantitative analysis of raloxifene hydrochloride in pharmaceutical dosage form

(2012) *Journal of Liquid Chromatography and Related Technologies*, 35 (1), pp. 162-173. Cited 6 times.
doi: 10.1080/10826076.2011.597067

[View at Publisher](#)

- 46 Subongkot, T., Wonglertnirant, N., Songprakhon, P., Rojanarata, T., Opanasopit, P., Ngawhirunpat, T.

Visualization of ultradeformable liposomes penetration pathways and their skin interaction by confocal laser scanning microscopy

(2013) *International Journal of Pharmaceutics*, 441 (1-2), pp. 151-161. Cited 36 times.
doi: 10.1016/j.ijpharm.2012.12.003

[View at Publisher](#)

- 47 Toutitou, E., Dayan, N., Bergelson, L., Godin, B., Eliaz, M.

Ethosomes - Novel vesicular carriers for enhanced delivery: Characterization and skin penetration properties

(2000) *Journal of Controlled Release*, 65 (3), pp. 403-418. Cited 637 times.
doi: 10.1016/S0168-3659(99)00222-9

[View at Publisher](#)

- 48 Urano, T., Shiraki, M., Kuroda, T., Tanaka, S., Uenishi, K., Inoue, S.

Preventive effects of raloxifene treatment on age-related weight loss in postmenopausal women

(2017) *Journal of Bone and Mineral Metabolism*, 35 (1), pp. 108-113. Cited 2 times.
link.springer.de/link/service/journals/00774/index.htm
doi: 10.1007/s00774-015-0733-8

[View at Publisher](#)

- 49 Velpula, A., Jukanti, R., Janga, K.Y., Sunkavalli, S., Bandari, S., Kandadi, P., Veerareddy, P.R.

Proliposome powders for enhanced intestinal absorption and bioavailability of raloxifene hydrochloride: Effect of surface charge

(2013) *Drug Development and Industrial Pharmacy*, 39 (12), pp. 1895-1906. Cited 14 times.
doi: 10.3109/03639045.2012.670641

[View at Publisher](#)

- 50 Vidyasagar, C.C., Arthoba Naik, Y.

Surfactant (PEG 400) effects on crystallinity of ZnO nanoparticles ([Open Access](#))

(2016) *Arabian Journal of Chemistry*, 9 (4), pp. 507-510. Cited 7 times.
<http://colleges.ksu.edu.sa/Arabic%20Colleges/CollegeOfScience/ChemicalDept/AJC/default.aspx>
([ScienceDirect](#) <http://www.sciencedirect.com/science/journal/18785352>)
doi: 10.1016/j.arabjc.2012.08.002

[View at Publisher](#)

- 51 Villasmil-Sánchez, S., Rabasco, A.M., González-Rodríguez, M.L.
Thermal and ^{31}P -NMR studies to elucidate sumatriptan succinate entrapment behavior in Phosphatidylcholine/Cholesterol liposomes. Comparative ^{31}P -NMR analysis on negatively and positively-charged liposomes

(2013) *Colloids and Surfaces B: Biointerfaces*, 105, pp. 14-23. Cited 10 times.
doi: 10.1016/j.colsurfb.2012.12.019

[View at Publisher](#)

- 52 Vogel, V.G., Costantino, J.P., Wickerham, D.L., Cronin, W.M., Cecchini, R.S., Atkins, J.N., Bevers, T.B., (...), Wolmark, N.

Effects of tamoxifen vs raloxifene on the risk of developing invasive breast cancer and other disease outcomes: The NSABP Study of Tamoxifen and Raloxifene (STAR) P-2 trial

(2006) *Journal of the American Medical Association*, 295 (23), pp. 2727-2741. Cited 1158 times.
<http://jama.ama-assn.org/cgi/reprint/295/23/2727>
doi: 10.1001/jama.295.23.joc60074

[View at Publisher](#)

- 53 Williams, A.C., Barry, B.W.

Penetration enhancers

(2004) *Advanced Drug Delivery Reviews*, 56 (5), pp. 603-618. Cited 1137 times.
doi: 10.1016/j.addr.2003.10.025

[View at Publisher](#)

- 54 Yan, Y., Zhang, H., Sun, J., Wang, P., Dong, K., Dong, Y., Xing, J.

Enhanced transdermal delivery of sinomenine hydrochloride by ethosomes for anti-inflammatory treatment

(2016) *Journal of Drug Delivery Science and Technology*, 36, pp. 201-207. Cited 2 times.
http://www.editionsdesante.fr/category.php?id_category=48
doi: 10.1016/j.jddst.2016.10.013

[View at Publisher](#)

- 55 Zhang, W., Gao, J., Zhu, Q., Zhang, M., Ding, X., Wang, X., Hou, X., (...), Gao, S.

Penetration and distribution of PLGA nanoparticles in the human skin treated with microneedles

(2010) *International Journal of Pharmaceutics*, 402 (1-2), pp. 205-212. Cited 60 times.
doi: 10.1016/j.ijpharm.2010.09.037

[View at Publisher](#)

- 56 Zhang, Y.-T., Shen, L.-N., Wu, Z.-H., Zhao, J.-H., Feng, N.-P.

Comparison of ethosomes and liposomes for skin delivery of psoralen for psoriasis therapy

(2014) *International Journal of Pharmaceutics*, 471 (1-2), pp. 449-452. Cited 35 times.
www.elsevier.com/locate/ijpharm
doi: 10.1016/j.ijpharm.2014.06.001

[View at Publisher](#)

- 57 Zyla, G., Cholewa, M., Witek, A.

Rheological properties of diethylene glycol-based MgAl_2O_4 nanofluids

(2013) *RSC Advances*, 3 (18), pp. 6429-6434. Cited 18 times.
doi: 10.1039/c3ra40187a

[View at Publisher](#)

About Scopus

What is Scopus
Content coverage
Scopus blog
Scopus API
Privacy matters

Language

日本語に切り替える
切换到简体中文
切换到繁體中文
Русский язык

Customer Service

Help
Contact us

ELSEVIER

[Terms and conditions](#) [Privacy policy](#)

Copyright © 2018 Elsevier B.V. All rights reserved. Scopus® is a registered trademark of Elsevier B.V.

Cookies are set by this site. To decline them or learn more, visit our [Cookies page](#).

 RELX Group™